

Message

From: Zolandz, Mark [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=AD92C8F5774E4F3A9EAF98B80647FFA3-MZOLANDZ]
Sent: 7/31/2017 6:23:38 PM
To: Smith, Brooks M. [Brooks.Smith@troutmansanders.com]
CC: Frankenthaler, Douglas [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=53d927d8590a46f084a368e7e27fb2de-Frankenthaler, Douglas]
Subject: RE: Contura Energy 308 Update

Brooks,

This is to confirm that I have received the response dated July 28, 2017.

Thanks,

Mark Zolandz
NPDES Enforcement Branch
Water Protection Division
U.S. Environmental Protection Agency, Region III
1650 Arch Street (3WP42)
Philadelphia, PA 19103-2029
Tel: 215-814-2319

From: Zolandz, Mark
Sent: Friday, July 28, 2017 1:03 PM
To: 'Smith, Brooks M.' <Brooks.Smith@troutmansanders.com>
Cc: Frankenthaler, Douglas <Frankenthaler.Douglas@epa.gov>
Subject: RE: Contura Energy 308 Update

Thanks, Brooks. I'll let you know once I have it in hand.

Have a nice weekend,

Mark Zolandz
NPDES Enforcement Branch
Water Protection Division
U.S. Environmental Protection Agency, Region III
1650 Arch Street (3WP42)
Philadelphia, PA 19103-2029
Tel: 215-814-2319

From: Smith, Brooks M. [mailto:Brooks.Smith@troutmansanders.com]
Sent: Friday, July 28, 2017 12:21 PM

To: Zolandz, Mark <Zolandz.Mark@epa.gov>
Cc: Frankenthaler, Douglas <Frankenthaler.Douglas@epa.gov>
Subject: RE: Contura Energy 308 Update

Our next response (20-21) is out the door and should arrive Monday. Best, Brooks

Brooks M. Smith
TROUTMAN SANDERS
Direct: 804.697.1414
brooks.smith@troutmansanders.com

From: Zolandz, Mark [<mailto:Zolandz.Mark@epa.gov>]
Sent: Monday, July 17, 2017 8:59 AM
To: Smith, Brooks M.
Cc: Frankenthaler, Douglas
Subject: RE: Contura Energy 308 Update

Brooks,

I did receive the response to Question 19 that you sent me.

Thanks,

Mark Zolandz
NPDES Enforcement Branch
Water Protection Division
U.S. Environmental Protection Agency, Region III
1650 Arch Street (3WP42)
Philadelphia, PA 19103-2029
Tel: 215-814-2319

From: Smith, Brooks M. [<mailto:Brooks.Smith@troutmansanders.com>]
Sent: Friday, July 14, 2017 7:37 AM
To: Zolandz, Mark <Zolandz.Mark@epa.gov>
Cc: Frankenthaler, Douglas <Frankenthaler.Douglas@epa.gov>
Subject: Re: Contura Energy 308 Update

Our first supplemental response should arrive today. We are on track to deliver the second (final) supplemental response by the end of the month. Best, Brooks

Sent from my iPhone

Brooks M. Smith
TROUTMAN SANDERS
Direct: 804.697.1414
brooks.smith@troutmansanders.com

On Jul 3, 2017, at 2:34 PM, Zolandz, Mark <Zolandz.Mark@epa.gov> wrote:

Brooks,

I wanted to let you know that I just received Contura's initial 308 response dated 6/30/17.

I hope you have a safe, enjoyable holiday tomorrow.

Mark

From: Zolandz, Mark
Sent: Friday, June 30, 2017 2:22 PM
To: 'Smith, Brooks M.' <Brooks.Smith@troutmansanders.com>
Cc: Douglas Frankenthaler <Frankenthaler.Douglas@epa.gov>
Subject: RE: Contura Energy 308 Update

Brooks,

Thanks for the heads up, and yes, I will let you know once I have received Contura Energy's response.

Thanks,

Mark

From: Smith, Brooks M. [<mailto:Brooks.Smith@troutmansanders.com>]
Sent: Friday, June 30, 2017 10:11 AM
To: Zolandz, Mark <Zolandz.Mark@epa.gov>
Subject: Contura Energy 308 Update

Hi Mark, I wanted to send you a quick update to let you know that our initial response (#18) is on schedule and will go out today by overnight delivery for receipt tomorrow. Given the impending holiday, I suspect delivery within your building may be a bit delayed. Would you please confirm receipt once it reaches you?

We are also making good progress on our subsequent responses (#19-21).

Best, Brooks

Brooks M. Smith
Direct: 804.697.1414
brooks.smith@troutmansanders.com

TROUTMAN SANDERS
1001 Haxall Point, Suite 1500
Richmond, VA 23219
troutmansanders.com

This e-mail message (and any attachments) from Troutman Sanders LLP may contain legally privileged and confidential information solely for the use of the intended recipient. If you received this message in error, please delete the message and notify the sender. Any unauthorized reading, distribution, copying, or other use of this message (and attachments) is strictly prohibited.

This e-mail message (and any attachments) from Troutman Sanders LLP may contain legally privileged and confidential information solely for the use of the intended recipient. If you received this message in error, please delete the message and notify the sender. Any unauthorized reading, distribution, copying, or other use of this message (and attachments) is strictly prohibited.

This e-mail message (and any attachments) from Troutman Sanders LLP may contain legally privileged and confidential information solely for the use of the intended recipient. If you received this message in error, please delete the message and notify the sender. Any unauthorized reading, distribution, copying, or other use of this message (and attachments) is strictly prohibited.